

BUSHINGS INC.

Engine Model / Mount Cross Reference / 4 Point Mount			
Engine Model	Weight lbs	Hp Range	Suggested Mount *
Stern Drive & Inboard Installations			
All 4 and 6 Cylinder and V8 GAS Engines	500-1200	80-500+	DF-216
Where Additional Clearance is Desired	500-1200	80-500+	DF-216 B2
All 4 and 6 Cylinder and V8 GAS Engines			
All 4 and 6 Cylinder and V8 GAS Engines	Up to 800	80-375	Use DF-206 for 5/8" stud
Gas Inboard Rear Mount (Transmission End)			
Gas Inboard Rear Mount (Transmission End)	500-1200	80-500+	RM-1060
Caterpillar Diesel Engines			
Weight lbs			
Hp Range			
Suggested Mount *			
3116/3126/C7/C9	1500-2400	205-500	DF-9106
3208/3304B	1700-2200	85 up to 340	DF-238-M1
3208	1700-2600	>340	DF-4408-4
3308C/3406E/3176B/3306C	1600-3800	500-820	DF-4407-4 Light end DF-4428-4 Heavy end
Chris-Craft Engines			
Weight lbs			
Hp Range			
Suggested Mount *			
181-F	650	130	DF-2207-2
305-F/350K/350KBM	500-1200 Up to 800	250-330 250-330	DF-216 Use DF-206 for 5/8" stud
All 454 engines	1200	330-425	DF-216
Cummins Diesel Engines			
Weight lbs			
Hp Range			
Suggested Mount *			
4BT/6BT	900-1600	80-370	DF-477-M3
6C/420 Diamond	1800-2300	150-450	DF-9106
V-504/555-M	1800-2200	200-250	DF-238-M1
VT-555-M	2200-2500	270	DF-4407-4
V-903-M	2800	305-360	DF-4408-4
NTA855, QSM 11 Engines	2800-4200	215-635	DF-4408-4 Light end DF-4428-4 Heavy end
Detroit Diesel Engines			
Weight lbs			
Hp Range			
Suggested Mount *			
6.2/4-53/8.2/6V53/6V53T/471N	700-2400	130-420	DF-238-M1

471TI/6-71/6-71TI/6V71/6V71TA	2200-2800	250-550	DF-4408-4
8V71/8V71TI			
6V92/6V92TA/8V92/8V92TA	3500-4200	650-720	DF-4408-4 Light end DF-4428-4 Heavy end
Duetz Engines	Weight lbs	Hp Range	Suggested Mount *
F1L208/F1L210/F1L511/F2L511	190-425	13028	DF-2205-2
F2L912/F3L912/F4L/912/F5L912			
F6L912/BF6L913	600-1200 Up to 800	36-200 36-200	DF-216 Use DF-206 for 5/8" stud
V-6 & V-8 Engines	1250-2800	210-500	DF-4408-4
V-6 & V-8 Engines	3400-4200	520-600	DF-4408-4 Light end DF-4428-4 Heavy end
Ford Engines	Weight lbs	Hp Range	Suggested Mount *
LSG/CSG/WSG (Gas engines)	200-480	120-245	DF-206
YSD-424/YSD-635/SSD437/ DSD-442 (Gas engines)	500-800	250-325	DF-216
SSD655N/655T/DSD659/ DSD659/660/662 (Gas engines)	950-1500	300-480	DF-236-M1
DSD-681N/T (Gas engines)	1500-1600	500	DF-237-M1
Lehman & Merlin Diesel	2800	300-475	DF-4408-4
Ford Gas Generators			
VSG411/413/ LSG423	200-450	20-75	DF-2205-2
LSG875/CSG649	470-725	80-200	DF-2207-2
Ford Diesel Engines & Gen			
ESD442 Marine	290	80-100	DF-2205-2
All other ESD/BSD Series Engines	800-1400	150-300	DF-236-M1
Isuzu Engines	Weight lbs	Hp Range	Suggested Mount *
QD27	400-500	14-28	DF-2207-2
QD40/60	500-750	40-60	DF-3304-3
QSD 130/145	1100-1400	130-145	DF-3306-3
Iveco Engines	Weight lbs	Hp Range	Suggested Mount *

8041SRM15/8061M05	900-1500	140-150	DF-236-M1
8061SM05/06/8061SRM 05 & 06 & 27	1160-1800	190-270	DF-237-M1
8361SRM10 & 37	1500-1800	285-420	DF-4407-4
8281SRM70	3700-4200	500-700	DF-4408- 4 Light end DF-4428-4 Heavy end
John Deere Engines	Weight lbs	Hp Range	Suggested Mount *
3.9 Liter & 4.5 Liter	1000-1200	70-150	DF-236-M1
6.8 Liter	1500-1800	155-320	DF-237-M1
7.6 & 8.1 Liter	1800-2200	240-450	DF-238-M1
9.0 Liter	2350	325-500	DF-9106
12.5Liter	2500-2800	240-450	DF-4408
Peninsular Diesel Engines	Weight lbs	Hp Range	Suggested Mount *
All Models	500-2000	110-450	DF-238-M1
Perkins Engines	Weight lbs	Hp Range	Suggested Mount *
M20/M30	240-300	17-50	DF-2205-2
M35 - M90NA	450-650	33.5-80	DF-2207-2
4-108M/4-154M	465-700	50-60	DF-2207-2
M135/165T/200TI/240TI/275TI			
4-236M	840-1500	85-250	DF-236-M1
T6-3544M/ST6-3544M			
SSTT6-3544M	1250-2100	135-200	DF-4406-4
TV8-540M	2200-2500	350	DF-4407-4
Renault Engines	Weight lbs	Hp Range	Suggested Mount *
RC8D/11D/12D/16D	180-450	0-20	DF-2205-2
RC30D	500-700	30-50	DF-2207-2
RC55D/80D/90D/RC130DTS & 140	750-1400	55-160	DF-236-M1
Universal Engines	Weight lbs	Hp Range	Suggested Mount *

Model 12, 18, 20, 25, 25XP, 30	175-450	0-35	DF-2205-2
Model 40, 50	490 - 700	40-50	DF -2207-2
M3-20/M4-30	235-450	18-25	DF-2205-2
5444/M4-44&50	480-550	45-60	DF-206
ATOMIC 1	130	10	DF-2204-2
ATOMIC 2/ ATOMIC 4 / STEVEDORE (Includes model 5411, 5416, 5424)	175-335	0-30	DF-2205-2
ATOMIC Model 5432	490	30-40	DF-2207-2
Volvo Diesel Engines	Weight lbs	Hp Range	Suggested Mount *
MD5A/6B/7A	245-385	7.5-13	DF-2205-2
MD11C/17C/MD17C-110S/MD21A	500-750	23-61	DF-2207-2
TMD31/TAMD31/MD32A	740-900	62-150	DF-3304-3
TMD40A/TMD40A/TMD41/TAMD41	1000-1100	117-200	DF-3306-3
TAMD60A/61/MD70B/TAMD70B/C	1800-2200	150-310	DF-238-M1
TAMD42/THAMD70C/TAMD71/MD70E	2000-2400	200-430	DF-4407-4
TMD120A/TAMD120A/TAMD122	2200-4200	260-450	DF-4408-4 Light end DF-4428-4 Heavy end
Westerbeke	Weight lbs	Hp Range	Suggested Mount *
W-10, W13, W18,W21,W21A,W27	200-450	0-27	DF-2205-2
W33, W46, W52, W58, W70	500 - 750	33-70	DF-2207-2
W80, W100, W120	800 - 1400	80-120	DF-236-M1
Yanmar Engines	Weight lbs	Hp Range	Suggested Mount *
GM Series	100-320	9-28	DF-2205-2
3JH Series	390-425	35-50	DF-2205-2
4JH Series	490-550	50-100	DF-2207-2
4LH Series	750-900	110-170	DF-3304-3
6LP Series	700-900	260-315	RM-1060

6LYA-CX Series	1300-1500	315-465	DF-9106
6CX- GTE2 Series	1800-2400	490-500	DF-9106

[Note 1: DF2200 Series Mounts available as DF2200 - 2 \(with 5/8" stud\) or DF-2200-1 \(with 1/2" stud\)](#)

[Note 2: Use DF-3300 Series Mounts for 4 1/2" hole centers \(with 3/4" stud\)](#)

[Note 3: Use DF-100 Mount for 1 7/8" minimum clearance](#)

[Note 4: DF-242 Series - Twin stud/double mount with 3/4" stud](#)

***Suggested Mounts are based on actual applications - make sure to compare the listed mount weight capacities against your actual combined engine, gear, and other engine mounted accessory weights. Do not exceed listed four (4) point mounting capacities.**